Algebra I

Direct Variation

T 1 . 4 .	41	C. 11	•		11	
Translate	tne	TOIL	owing: 1	y varies	airectiv	asx
	ULI U	-011	~ ,,	, 661 1 6 15	G11 C C C 	cont.

Solve for the constant of variation.

Substitute (x_1, y_1) into your answer. Then abstitute (x_2, y_2) .

Direct Variation as a Proportion

Given that (x_1, y_1) and (x_2, y_2) are ordered pairs of the same direct variation; = $k \cdot x$.

- 1) Find the missing value for (12, 3) $(x_2, 7)$
 - a) using the *k* method.
 - b) using the Proportion method.

	1	•	. 1	C 1	11	•	
Lar	each	\sim t	tha	ta.	\Box	TT7111	10
1'()1	Caci	()	$\mathbf{H}\mathbf{C}$	10	11()	wIII	צו
		-		101		* * * * * * * * * * * * * * * * * * * *	Ξ.

- a) write as a ratio equal to the constant of variation,
- b) and write the constant as a fraction in lowest terms or as a decimal rounded to the nearest thousandth.
 - 2) The height of a tree, in feet, is directly proportional to the radius of its trunk in inches. A tree with a radius of 9 inches is 24 feet tall.

Solve.

3) At Extreme Tool and Engineering, the amount of vacation time, in hours, an employee earns varies directly with the amount of time, in weeks, he or she works. If an employee works two weeks to earn 3 hours of vacation time, how many hours of vacation are earned in 52 weeks?

k method:

Proportion method:

Assignment:

Handout 1-24 all